

Table for www.waterbeetles.info

The taxa of the superfamily Hydrophiloidea and the family Hydraenidae from the publications and collection of P. de Oliveira. Collecting places use the Portuguese spellings.

Names (Oliveira, 1882/1883)	Collecting places	Revised names (Ladeiro, 1949; <i>Georissus</i> : Seabra, 1943)	Names according last catalogue edition (Przewoźny, 2022)	Priority (the first record for Portugal)
378. <i>Hydrous pistaceus</i> Lap.	Coimbra ! Portugal	120. <i>Hydrous pistaceus</i> Cast.	<i>Hydrophilus pistaceus</i> Laporte, 1840 (Asm)	Baptista, 1789
379. <i>Hydrobius convexus</i> Brull.	Bragança ! Coimbra ! Pinhel !	102. <i>Hydrobius paulinierii</i> Guérin- Méneville, 1842	<i>Limnohydrobius convexus</i> (Brullé, 1835)	Bates & Sharp, 1882 (March): 232
380. <i>H. oblongus</i> Herbst	Coimbra I (Pamphilosa) (Sintra)	104. <i>Limnoxenus niger</i> Gmelin, 1790	<i>Limnoxenus niger</i> (Gmelin, 1790) (= <i>oblongus</i> Herbst, 1979)	Oliveira, 1882: 599
381. <i>H. fuscipes</i> L.	Guarda ! Freineda !	103. <i>Hydrobius fuscipes</i> Linnaeus, 1758	<i>Hydrobius fuscipes</i> (Linnaeus, 1758) <i>H. rottenbergii</i> Gerhardt, 1872	Oliveira, 1882: 599 Firstly recorded here
382. <i>H. politus</i> Küst.	(Faro) (Bragança) (Azambuja) Portugal (Coimbra) (Coimbra) (Bragança)	117. <i>Enochrus (Lumetus) politus</i> Küster, 1849 116. <i>Enochrus (Lumetus) morenae</i> Heyden, 1870	<i>Enochrus morenae</i> (L. Heyden, 1870)	Incorrectly defined
383. <i>H. globulus</i> Payk.	Serra do Gerês Coimbra Coimbra Freineda Serras do Buçaco Serra do Gerês Vale de Azares Guarda	105. <i>Anacaena globulus</i> Paykull, 1798 106. <i>A. limbata</i> Fabricius, 1792	<i>Anacaena globulus</i> (Paykull, 1798) <i>Enochrus nigrinus</i> (Sharp, 1872)	Sharp, 1878: 114 Incorrectly defined
384. <i>H. bipustulatus</i>	Vizella ! Guarda !	107. <i>Anacaena bipustulata</i>	<i>Anacaena bipustulata</i>	Oliveira, 1882: 599

Mrh.	Bussaco !	Marshall, 1802	(Marshall, 1802)	
385. <i>Philhydrus melanocephalus</i> Oliv.	Guarda !	(114. <i>Enochrus</i> (<i>Enochrus</i>) <i>melanocephalus</i> Ol, [1792])	no specimens	No specimens
386. <i>Ph. nigricans</i> Zett.	(Espinho)	115. <i>E.</i> (<i>Pseudenoehrus</i>) <i>frontalis</i> Erichson, 1837	<i>Enochrus fuscipennis</i> (Thomson, 1884)	Incorrectly defined
	(Guarda)			
387. <i>Ph. marginellus</i> F.	Guarda !	119. <i>Cymbiodyta marginella</i> Fabricius, 1792	<i>Enochrus nigrinus</i> (Sharp, 1872)	Incorrectly defined
	Portugal	119. <i>Cymbiodyta marginella</i> Fabricius, 1792	<i>Cymbiodyta marginella</i> (Fabricius, 1792)	Heyden, 1870
388. <i>Ph. nigrinus</i> Scharp.	(Guarda)	118. <i>Enochrus</i> (<i>Methyrus</i>) <i>nigrinus</i> Sharp, 1872	<i>Enochrus nigrinus</i> (Sharp, 1872)	Heyden, 1870
389. <i>Helochares lividus</i> Forst.	(Pampilhosa)	113. <i>Helochares lividus</i> Forster, 1771	<i>Helochares lividus</i> (Forster, 1771)	Sharp, 1878: 114
	(Faro)			
	(Coimbra)			
	(Vizela)			
	(Pampilhosa)			
390. <i>H. dilutus</i> Er.	Coimbra !	-	no specimens	No specimens
<i>H. Melanophthalmus</i> Muls.	-	-	no specimens	No specimens
391. <i>Laccobius sinuatus</i> Motsch.	Bragança !	108. <i>Laccobius</i> (<i>Laccobius</i>) <i>sinuatus</i> Motsch., 1849	<i>Laccobius sinuatus</i> Motschulsky, 1849	Oliveira, 1882 600
	Coimbra !			
	(Faro)		<i>L. ytenensis</i> Sharp, 1910	Incorrectly defined
	(Vizela)			
	Coimbra !		<i>Anacaena bipustulata</i> (Marshall, 1802)	Incorrectly defined
<i>L. sinuatus</i> V. <i>nigriceps</i> Thoms.	-	-	no specimens	No specimens
<i>L. sinuatus</i> V. <i>minor</i> Rotth.	Douro !	108. <i>L. (L.) sinuatus</i> Motsch., 1849 var. <i>minor</i> Rotth., 1849	<i>L. ytenensis</i> Sharp, 1910, ♀	Incorrectly defined
	(Serra do Gerez)			
<i>L. sinuatus</i> V. <i>obscurus</i> Rotth.	Vizella !	109. <i>L. (L.) scutellaris</i> Mots., 1855	<i>L. ytenensis</i> Sharp, 1910	Incorrectly defined
	Vizella !			
	Coimbra !			
	Guarda !			
392. <i>L. viridiceps</i> Rotth.	(Coimbra)	110. <i>L. (L.) gracilis</i> Mots., 1855	<i>L. gracilis</i> Motschulsky, 1855 (= <i>viridiceps</i>)	Sharp, 1878: 114
	(Serra do Gerez)			

	(Serra do Buçaco)		Rottenberg, 1870)	
393. <i>L. pallidus</i> Muls.	Coimbra !	112. <i>L. (L.) mulsanti</i> Zaitz., 1908	<i>L. femoralis mulsanti</i> Zaitzev, 1908 (= <i>pallidus</i> Mulsant & Rey, 1861)	Oliveira, 1882: 600
	(Felgueira)			
	Coimbra !			
394. <i>L. Revelieri</i> Perris.	no locality	111. <i>L. (L.) revelieri</i> Perr., 1864	<i>L. revelieri</i> Perris, 1864	Rotten-berg, 1874
395. <i>Berosus spinosus</i> Stev.	Portimão (C. V. Volverem !)	-	no specimens	No specimens
396. <i>B. aericeps</i> Curt.	(Coimbra)	121. <i>Berosus (Berosus) signaticollis</i> Charp., 1825	<i>Berosus signaticollis</i> (Charpentier, 1825) (= <i>aericeps</i> Curtis, 1828)	Oliveira, 1882: 600
397. <i>B. affinis</i> Brul.	(Canas)	122. <i>B. (B.) affinis</i> Brullé, 1835	<i>B. affinis</i> Brullé, 1835	Sharp, 1878: 114
	Coimbra !			
	(Faro)			
398. <i>Limnebius truncatellus</i> Thunb.	Vizella !	71. <i>Limnebius (Limnebius) truncatellus</i> Thunb., 1794	<i>Limnebius truncatellus</i> (Thunberg, 1794)	Heyden, 1870
	(Felgueira)			
399. <i>L. papposus</i> Muls.	-	-	no specimens	No specimens
400. <i>L. furcatus</i> Baudi.	(Serra do Buçaco)	72. <i>L. (L.) furcatus</i> Bdi., 1872	<i>L. truncatellus</i> (Thunberg, 1794)	Incorrectly defined
	(Vizela)		<i>L. papposus</i> Mulsant, 1844	
401. <i>L. Truncatulus</i> Thoms.	-	-	no specimens	No specimens
402. <i>L. nitidus</i> Marsh.	Coimbra !	73. <i>L. (L.) nitidus</i> Marsh., 1802	<i>L. gerhardti</i> L. Heyden, 1869	Incorrectly defined
403. <i>L. sericans</i> Muls.	Serra de Monchique !			
404. <i>L. evanescens</i> Kiesw.	Felgueira !	74. <i>L. (Bolimnius) picinus</i> Marsh., 1802	<i>L. nanus</i> Jäch, 1993	Firstly recorded here
	Coimbra !			
405. <i>Helophorus rugosus</i> Oliv.	Portugal	75. <i>Helophorus (Empleurus) rufipes</i> Boso., 1791	<i>Helophorus rufipes</i> (Bosc, 1791) (= <i>rugosus</i> Olivier, 1795)	Oliveira, 1882: 669
	Azambuja			
406. <i>H. porculus</i> Bed.	Cedaes !	76. <i>H. (E.) porculus</i> Bed., 1881	<i>H. porculus</i> (Bedel, 1881)	Oliveira, 1882: 670
	Coimbra !			
407. <i>H. nubilus</i> F.	Guarda !	77. <i>H. (E.) nubilus</i> F., 1776	<i>H. nubilus</i> (Fabricius, 1777)	Oliveira, 1882: 670

	(Serra da Estrela)			
	(Vale de Azares)			
408. <i>H. fracticostis</i> Fairm.	(Porto)	78. <i>H. (E.) schmidtii</i> Villa, 1838	<i>H. schmidtii</i> A. Villa & G.B. Villa, 1839 (= <i>fracticostis</i> Fairmaire, 1859)	Oliveira, 1882: 670
409. <i>H. intermedius</i> Muls.	Freineda	79. <i>H. (Trichelophorus) alternans</i> Gené, 1836	<i>H. alternans</i> Gené, 1837 (= <i>intermedius</i> Mulsant, 1844)	Oliveira, 1882: 670
	Guarda			
	Pinhel			
	Azambuja			
410. <i>H. glacialis</i> Villa.	-	-	no specimens	No specimens
411. <i>H. aquaticus</i> L.	(Azambuja)	80. <i>H. (Megalophorus) aquaticus</i> L., 1758	<i>H. occidentalis</i> Angus, 1983, ♂	Incorrectly defined
	(Rebordãos)		<i>H. aquaticus</i> (Linnaeus, 1758)	Oliveira, 1882: 670
	(Coimbra)		<i>H. occidentalis</i> Angus, 1983, ♂	Incorrectly defined
412. <i>H. granularis</i> L.	(Azambuja)	81. <i>H. (Helophorus) granularis</i> L., 1761	<i>H. minutus</i> (Fabricius, 1775)	Incorrectly defined
	Vizella !			
413. <i>H. griseus</i> Herbst.	Carregado	-	no specimens	No specimens
414. <i>H. obscurus</i> Mulsant	(Guarda)	82. <i>H. (H.) viridicollis</i> Steph., 1829	<i>H. minutus</i> (Fabricius, 1775)	Incorrectly defined
	(Serra do Gerês)		<i>H. flavipes</i> (Fabricius, 1792)	
	(Serra do Gerês)		<i>H. seidlitzii</i> Kuwert, 1885	
	(Serra do Gerês)			
(<i>H. aenipennis</i> Thomson v. <i>obscurus</i> Mulsant)	(Freineda)		<i>H. minutus</i> (Fabricius, 1775)	Incorrectly defined
(<i>H. dorsalis</i>)	(Coimbra)	83. <i>H. (H.) dorsalis</i> Mulsant, 1744	<i>H. minutus</i> (Fab.1775)	Incorrectly defined
	(Coimbra)			
415. <i>Hydrochus foveostriatus</i> Fairm.	Bragança !	84. <i>Hydrochus angustatus</i> Germ., 1824 var. <i>foveostriatus</i> Frm., 1858	<i>Hydrochus foveostriatus</i> Fairmaire, 1858	Oliveira, 1882: 671
	Vizella !		<i>H. angustatus</i> Germar, 1824	Incorrectly defined
	Portugal			
416. <i>H. angustatus</i> Germ.	(Canas)	84. <i>Hydrochus angustatus</i> Germ., 1824	<i>H. angustatus</i> Germar, 1824	Oliveira, 1882: 671

	(Vizela)			
	(Esmoriz)			
	Portugal		<i>H. foveostriatus</i> Fairmaire, 1858	
	(Milfontes)		<i>H. aljibensis</i> Castro et Delgado, 1999	
	(Coimbra)			
	(Vizela)		Another species under study	
	Freineda !			
	Portugal		<i>H. foveostriatus</i> Fairmaire, 1858	
				Incorrectly defined
417. <i>Ochthebius exaratus</i> Muls.	Coimbra !	62. <i>Ochthebius (Aulacochthebius) exaratus</i> Muls., 1844	<i>Ochthebius</i> ¹ <i>exaratus</i> (Mulsant, 1844)	Oliveira, 1882: 671
	(Serra da Bussaco)			
418. <i>O. pellucidus</i> Muls.	Vizella !	66. <i>O. (Hymenodes) nanus</i> Stephens, 1829	<i>O. nanus</i> Stephens, 1829 (= <i>pellucidus</i> Mulsant, 1844)	Oliveira, 1882: 671
419. <i>O. volxemi</i> Scharp.	(Figueira)	65. <i>O. (Bothochius) bifeveolatus</i> Walzl., 1835	<i>O. bifeveolatus</i> Walzl., 1835	
	(Figueira)	65. <i>O. (B.) bifeveolatus</i> Walzl., 1835 var. <i>nigra</i> Paul.		Sharp, 1878: 115
420. <i>O. impressicollis</i> Cast.	(Coimbra)	63. <i>Ochthebius (Asiobates) impressicollis</i> Cast., 1840	<i>O. heydeni</i> Kuwert, 1887	
	Serra da Bussaco !			Incorrectly defined
	(Serra da Estrela)			
421. <i>O. corrugatus</i> Rosh.	Portimão	×	no specimens	No specimens
(<i>O. bicolon</i> Germ.)	(Coimbra)	64. <i>O. (A.) bicolon</i> Germ., 1824	<i>O. dilatatus</i> Stephens, 1829 (= <i>impressicollis</i> Laporte Castelnau, 1840)	
	(Espinho)			
	(Serra da Bussaco)			
	(Azambuja)			
	(Coimbra)			
	(Espinho)			
	(Espinho)	67. <i>O. (O.) pusillus</i> Steph., 1835		Incorrectly defined

¹ Specimens of the genera *Ochthebius* and *Hydraena* in Oliveira's collection are defined by J. Balfour-Browne.

	Portugal	-		
(<i>O. nanus</i> Steph.)	(Vizela)	66. <i>O. (Hymenodes) nanus</i> Steph., 1829	<i>O. nanus</i> Stephens, 1829	See: 418. <i>O. pellucidus</i>
(O. <i>pusillus</i> Steph.)	(Espinho)	67. <i>O. (O.) pusillus</i> Steph., 1835	<i>O. viridis</i> (Peyron, 1858)	Incorrectly defined
	(Esmoriz)			
	(Esmoriz)			
422. <i>Hydraena testacea</i> Curt.	Coimbra !	68. <i>Hydraena (Phothydraena) testacea</i> Curt., 1830	<i>Hydraena testacea</i> Curtis, 1830	Oliveira, 1882: 672
	Vizella !			
	Guarda !.			
423. <i>H. gracilis</i> Germ.	(Serra do Gerês)	70. <i>H. (H.) gracilis</i> Germ., 1824	<i>H. lusitana</i> (Berthélemy, 1977)	Incorrectly defined
(H. <i>nigrita</i> Germ.)	(Serra do Gerês)	69. <i>H. (H.) nigrita</i> Germ., 1924	<i>H. barrosi</i> Orchymont, 1934	Incorrectly defined
	(Serra da Bussaco)			
424. <i>Cyclonotum orbiculare</i> F.	C. V. Volxem il se trouve en Portugal	×	no specimens	No specimens
425. <i>C. Hispanicum</i> Kust.	(Pampilhosa)	85. <i>Coelostoma hispanicum</i> Küst., 1848	<i>Coelostoma hispanicum</i> Küster, 1848	Sharp, 1878: 115
	(Douro)			
426. <i>Sphaeridium scarabaeoides</i> L.	Pinhel !	87. <i>Sphaeridium scarabaeoides</i> L. 1758	<i>Sphaeridium scarabaeoides</i> (Linnaeus, 1758)	Heyden, 1870
	(Serra do Gerês)			
427. <i>S. bipustulatum</i> F.	(Galdelas)	86. <i>S. bipustulatum</i> F., 1781	<i>S. bipustulatum</i> Fabricius, 1781	Oliveira, 1882: 672
	Guarda !	87. <i>S. scarabaeoides</i> L. 1758 var. <i>bipustulatum</i> Hrst	<i>S. lunatum</i> Fabricius, 1792	Firstly recorded here
	(Serra do Gerês)			
	Portugal			
<i>S. scarabaeoides</i> v. <i>bipustulatum</i> Herbst	Coimbra	87. <i>S. scarabaeoides</i> L. 1758 var. <i>bipustulatum</i> Hrst	<i>S. marginatum</i> Fabricius, 1787	Incorrectly defined
V. <i>marginatum</i> F.	Coimbra	87. <i>S. scarabaeoides</i> L. 1758 var. <i>marginatum</i> F., 1787	<i>S. marginatum</i> Fabricius, 1787	Oliveira, 1882: 672
	(Serra da Estrela)		<i>Dactylosternum abdominale</i> (Fabricius, 1792)	Incorrectly defined
	Coimbra		<i>S. scarabaeoides</i> (Linnaeus, 1758)	
	(Canas)		<i>S. bipustulatum</i> Fabricius, 1781	
	Portugal			
V. 4 <i>maculatum</i> Marsh.	(Espinho)	86. <i>S. bipustulatum</i> F., 1781 var.	<i>S. marginatum</i> Fabricius, 1787	Incorrectly defined
	(Caldelas)		<i>S. bipustulatum</i>	

		<i>quadrimaculatu</i> <i>m</i> Steph., 1829	Fabricius, 1781	
	(Faro)		<i>S. marginatum</i> Fabricius, 1787	
	Pinhanços !		<i>S. marginatum</i> Fabricius, 1787	
(var. <i>nigra</i> Paul.)	(Serra do Gerês)	86. <i>S.</i> <i>bipustulatum</i> F., 1781 var. <i>nigra</i> Paul	<i>S. bipustulatum</i> Fabricius, 1781	Incorrectly defined
428. <i>C.</i> <i>haemorrhous</i> Gyll.	Coimbra !.	89. <i>Cercyon</i> (<i>Dicrytocercyon</i>) <i>ustulatus</i> Preysl., 1790	<i>Cercyon</i> <i>haemorrhoidalis</i> (Fabricius, 1775)	Incorrectly defined
429. <i>C.</i> <i>lateralis</i> Marsh.	(Guarda)	92. <i>C. (C.)</i> <i>lateralis</i> Marsh., 1802		Incorrectly defined
430. <i>C.</i> <i>flavipes</i> F.	Coimbra !.	91. <i>C. (C.)</i> <i>haemorrhoidalis</i> F., 1775	<i>C. haemorrhoidalis</i> (Fabricius, 1775) (= <i>flavipes</i> Fabricius, 1792)	Oliveira, 1882: 672
	(Douro)			
	(Felgueira)			
	(Leça)			
	(Pinhel)			
	(Serra do Gerês)			
	(Vizela)			
431. <i>C.</i> <i>quisquilius</i> L.	(Serras do Buçaco)			
	(Espinho)	94. <i>C. (C.)</i> <i>quisquilius</i> L., 1761	<i>C. quisquilius</i> (L.innaeus, 1760)	Oliveira, 1882: 672
	(Espinho)			
	(Espinho)		<i>C. terminatus</i> (Marsham, 1802)	Incorrectly defined
	Faro			
432. <i>C. analis</i> Fayk.	Vizella !	97. <i>C.</i> (<i>Paraceroyon</i>) <i>analis</i> Payk., 1798	<i>C. analis</i> (Paykull, 1798)	Oliveira, 1882: 672
	(Coimbra)			
(<i>C. littoralis</i> Gyll.)	(Leça)	88. <i>C. (Ercycon)</i> <i>littoralis</i> Gyll., 1808	<i>Limnebius</i> <i>truncatellus</i> (Thunberg, 1794)	Incorrectly defined
(<i>C. lugubris</i> Ol.)	Portugal	90. <i>C. (C.)</i> <i>lugubris</i> Ol., 1790	<i>C. obsoletus</i> (Gyllenhal, 1808) (= <i>lugubris</i> Olivier, 1790, rejected name)	Sharp, 1878: 115
(<i>C.</i> <i>unipunctatus</i> L.)	Portugal	93. <i>C. (C.)</i> <i>unipunctatus</i> L., 1758	93. <i>C.</i> <i>unipunctatus</i> (Linnaeus, 1758)	Barros, 1927
(C. <i>nigriceps</i> Marsh.)	(Coimbra)	95. <i>C. (C.)</i> <i>nigriceps</i> Marsh., 1802	<i>C. nigriceps</i> (Marsham, 1802)	Barros, 1927
	Portugal (? Coimbra)			
(C. <i>tristis</i> Ill.)	no locality	96. <i>Cercyon</i> (<i>Cercyon</i>) <i>tristis</i> Illig., 1801	<i>Megasternum</i> <i>concinnum</i> (Marsham, 1802)	Incorrectly defined
	(Douro)			

(<i>Megasternum</i> <i>m</i> <i>boletophagum</i> Marsh.)	(Povolide)	98. <i>Megasternum</i> <i>boletophagum</i> Marsh., 1802	<i>M. concinnum</i> (Marsham, 1802) (= <i>boletophagum</i> Marsham, 1802)	Barros, 1913
(<i>Cryptopleurum</i> <i>m</i> <i>minutum</i> F.)	Portugal	99. <i>Cryptopleurum</i> <i>minutum</i> F., 1775	<i>Cryptopleurum</i> <i>minutum</i> (Fabricius, 1775)	Seabra, 1942
(<i>Paracymus</i> <i>aeneus</i> Germ.)	(Faro)	100. <i>Paracymus</i> <i>aeneus</i> Germ., 1824	<i>Paracymus</i> <i>aeneus</i> (Germar, 1824)	Sharp, 1878: 114
(<i>Paracymus</i> <i>scutellaris</i> Rosh.)	(Bragança)	101. <i>P.</i> <i>scutellaris</i> Rosh., 1856	<i>P. scutellaris</i> (Rosenhauer, 1856)	Barros, 1924
880. <i>Georissus</i> <i>pygmaeus</i> F.	Portugal	1342. <i>Georissus</i> <i>crenulatus</i> Rossi	<i>Georissus</i> <i>crenulatus</i> (P. Rossi, 1794) (= <i>pygmaeus</i> Fabricius, 1798)	Oliveira, 1883: 413
	Coimbra		<i>G. substriatus</i> Heer, 1841	Mascagni, 2008: 63
881. <i>G.</i> <i>costatus</i> Cast.	Felgueira	1343. <i>G.</i> <i>costatus</i> Lap.	<i>G. costatus</i> Laporte de	Oliveira, 1883: 413
(<i>G. sp.</i>)	Portugal		Castelnau, 1840	Incorrectly defined
	Porto			